







## ***HSM FA 500.3 Premium***

Rovert Equipment Co Ltd 0151 336 2122

Mobile, top model for IT departments, archives or as a central shredding point. Also suitable for shredding CDs and floppy disks, can even shred entire files and folders. The sturdy technology has been especially designed for a large throughput and long total operating time. Integrated, manual oiler for cutting unit. Material intake via loading table and electric conveyor belt. Stand-by mode with LED indicator. Keypad control for constant operation and reverse. Automatic stop and reverse in the event of paper jam. Shredded material transported out of the cutting unit by a conveyor belt. Made in Germany.

Product type description	FA500.4 10,5x40-76mm	FA500.6 7,5x40-80mm
Order number	1992104	1991104
EAN Code	4026631032162	
Shredder material		
Cutting type	particle cut	particle cut
Security level	2	2
Cutting width	10.5 mm	7.5 mm
Particle length	40,00 - 76,00 mm	40,00 - 80,00 mm
Cutting capacity (70g/m <sup>2</sup> )	600-650 sheet	500-550 sheet
Cutting capacity (80g/m <sup>2</sup> )	510-550 sheet	425-470 sheet
Intake width	500 mm	500 mm
Container volume / collecting container	530 l	530 l
Cutting speed	210 mm/s	210 mm/s
eclass 5.1	24320704	24320704
Power consumption of the motor	9.2 W	9200 W
Voltage	400 V	400 V
Frequency	50 Hz	50 Hz
Warranty period (years)	2	2
Depth	1795 mm	1795 mm
Width	1170 mm	1170 mm
Height	1795 mm	1795 mm
Weight	790 kg	790 kg

Product type description	FA500.5 6x40-53mm	FA500.3 1,9x15 mm
Order number	1990104	1993104
EAN Code	4026631032179	4026631031462
Shredder material		
Cutting type	particle cut	particle cut
Security level	3	4
Cutting width	6 mm	1.9 mm
Particle length	40,00 - 53,00 mm	15,00 mm
Cutting capacity (70g/m <sup>2</sup> )	400-450 sheet	120-130 sheet
Cutting capacity (80g/m <sup>2</sup> )	340-380 sheet	90-100 sheet
Intake width	500 mm	500 mm
Container volume / collecting container	530 l	530 l
Cutting speed	210 mm/s	172 mm/s
eclass 5.1	24320704	24320704
Power consumption of the motor	9200 W	9200 W
Voltage	400 V	400 V
Frequency	50 Hz	50 Hz
Warranty period (years)	2	2
Depth	1795 mm	1795 mm
Width	1170 mm	1170 mm
Height	1795 mm	1795 mm
Weight	790 kg	920 kg